

I  
M

## Pilový kotouč tenký s vysokou výkonností




**(RU)** Высокоэффективные тонкие дисковые пилы

**(D)** Sägeblatt dünn mit hoher Leistungskraft

**(PL)** Wąska tarcza wysokiej sprawności

1  
2  
4




	D	B	b	d	⊙○⊙	Z	COD	€
○	150	2,5	1,8	30		48	LF150253048	48,20
○	200	2,5	1,8	30		64	LF200253064	60,50
△	200	2,5	1,8	35		64	LF200253564	68,50
○	250	2,5	1,8	30		80	LF250253080	73,60
△	250	2,5	1,8	35		80	LF250253580	81,60
○	300	2,5	1,8	30+2	2/10/60	96	LF3002530F96	84,30
△	300	2,5	1,8	35		96	LF300253596	92,30
○	350	2,8	2,0	30+2	2/10/60	108	LF3502830F108	101,70
△	350	2,8	2,0	35		108	LF3502835108	109,70
△	400	3,6	2,5	30+2	2/10/60	120	LF4003630F120	127,70
△	400	3,6	2,5	35		120	LF4003635120	135,70

GRR  
High-tech tools

I  
M

## Pilový kotouč pro příčné řezy bez otřepení



**(RU)** Дисковые пилы для поперечного пиления без образования стружки

**(D)** Sägeblatt für gratfreien Querschnitt

**(PL)** Tarcza do cięcia poprzecznego bez odłupywania

1  
2  
6




	D	B	b	d	⊙○⊙	Z	COD	€
○	200	2,5	1,8	30		80	LF200253080	100,00
○	250	2,5	1,8	30		100	LF2502530100	112,00
△	250	2,5	1,8	35		100	LF2502535100	120,00
○	300	2,5	1,8	30+2	2/10/60	120	LF3002530F120	130,00
△	300	2,5	1,8	35		120	LF3002535120	138,00

GRR  
High-tech tools

I  
M

## Pilový kotouč zesílený extra tenký IM 128



**(RU)** Экстра тонкие дисковые пилы с втулкой


**(D)** Sägeblatt verstärkt, extra dünn IM 128

**(PL)** Ekstra wyska tarcza z piastą

1  
2  
8

	D	B	b	d	⊙	NT	Z	COD	€
□	125	1,5	2,2/1,0	30		22	40	LX125153040	90,00
□	150	1,5	2,2/1,0	30		25	48	LX150153048	92,00
□	180	1,5	2,2/1,0	30		27	56	LX180153056	94,00
○	200	1,6	2,2/1,1	30		28	64	LX200163064	100,00
△	200	1,6	2,2/1,1	35		28	64	LX200163564	100,00
○	250	1,6	2,2/1,1	30		35	80	LX250163080	112,00
△	250	1,6	2,2/1,1	35		35	80	LX250163580	112,00
○	300	1,7	2,2/1,2	30+2	2/10/60	40	96	LX3001730F96	130,00
△	300	1,7	2,2/1,2	35		40	96	LX300173596	130,00

COATED



GTT  
high-tech tools

I  
M

## Dvojice kotoučů s nastavením pomocí kroužků IM 130




**(RU)** Лезвие регулируемой толщины для пазовой пилы с распорками

**(D)** Sägeblattpaar mit Ringeinstellung IM 130

**(PL)** Tarcza wyłabiająca regulowana z odstępkiem


1  
3  
0

	D	B	b	d	NT	Z	COD	€
○	120	1,8/3,4	8,8	30	15	16 LT	LD120183016	160,00
○	120	1,8/3,4	8,8	35	15	16 LT	LD120183516	160,00
○	120	2,2/4,2	9,2	30	15	16 LT	LD120223016	160,00
○	120	2,2/4,2	9,2	35	15	16 LT	LD120223516	160,00
○	140	1,8/3,4	8,8	30	18	16 LT	LD140183016	175,00
○	140	1,8/3,4	8,8	35	18	16 LT	LD140183516	175,00
○	140	2,2/4,2	9,2	30	18	16 LT	LD140223016	175,00
○	140	2,2/4,2	9,2	35	18	16 LT	LD140223516	175,00
□	200	1,8/3,4	8,8	30	20	24 LT	LD200183024	225,00
□	200	1,8/3,4	8,8	35	20	24 LT	LD200183524	225,00
□	200	2,2/4,2	9,2	30	20	24 LT	LD200223024	225,00
□	200	2,2/4,2	9,2	35	20	24 LT	LD200223224	225,00



GTT  
high-tech tools

# Pilový kotouč velmi silný




**(RU)** Универсальные дисковые пилы высокой плотности

**(D)** Sägeblatt extra stark


**(PL)** Tarcza uniwersalna szeroka

1  
3  
2



	D	B	b	d	⊙ ⊙ ⊙	Z	COD	€
○	150	4,0	2,8	30		24	LX150403024	45,70
△	150	4,0	2,8	35		24	LX150403524	53,70
□	150	4,0	2,8	30		36	LX150403036	51,50
□	150	4,0	2,8	35		36	LX150403536	59,50
○	200	4,0	2,8	30		36	LX200403036	58,90
△	200	4,0	2,8	35		36	LX200403536	66,90
□	200	4,0	2,8	30		48	LX200403048	67,50
□	200	4,0	2,8	35		48	LX200403548	75,50
○	250	4,0	2,8	30		40	LX250403040	67,50
△	250	4,0	2,8	35		40	LX250403540	75,50
□	250	4,0	2,8	30		48	LX250403048	74,00
□	250	4,0	2,8	35		48	LX250403548	82,00
○	250	4,0	2,8	30		60	LX250403060	73,70
△	250	4,0	2,8	35		60	LX250403560	81,70
□	250	5,0	3,6	30		48	LX250503048	89,00
□	250	5,0	3,6	35		48	LX250503548	97,00
○	300	4,0	2,8	30+2	2/10/60	48	LX3004030F48	79,30
△	300	4,0	2,8	35		48	LX300403548	87,30
□	300	4,0	2,8	30+2	2/10/60	60	LX3004030F60	102,00
□	300	4,0	2,8	35		60	LX300403560	110,00
○	300	4,0	2,8	30+2	2/10/60	72	LX3004030F72	102,60
△	300	4,0	2,8	35		72	LX300403572	110,60
□	300	5,0	3,6	30+2	2/10/60	60	LX3005030F60	121,50
□	300	5,0	3,6	35		60	LX300503560	129,50
□	350	4,0	2,8	30+2	2/10/60	72	LX3504030F72	114,80
□	350	4,0	2,8	35		72	LX350403572	122,80
□	350	5,0	3,6	30+2	2/10/60	72	LX3505030F72	148,60
□	350	5,0	3,6	35		72	LX350503572	156,60

# Kotouče do rozmítacích pil





**(RU)** Дисковые пилы с стружкой для многоцелевых пильных станков


**(D)** Sägeblatt für Spaltsägen

**(PL)** Tarcza z nożami strugającymi



 **RAIMANN**  
2/13/100  
4/6.6/95 | KW 18.5x87



	D	B	b	d		Z+R	H	COD	€
○	250	3,2	2,2	30		20+2+2	65	LM2503230204	59,90
○	250	3,2	2,2	60	21x74	20+2+2	65	LM2503260K204	59,90
○	250	3,2	2,2	70	21x84	20+2+2	65	LM2503270K204	59,50
○	250	3,2	2,2	80	13x90	20+2+2	65	LM2503280K204	59,50
○	280	3,2	2,2	80	13x90	24+2+2	70	LM2803280K244	69,10
○	300	3,2	2,2	30		24+2+2	80	LM3003230244	69,10
△	300	3,2	2,2	50		24+2+2	80	LM3003250244	69,10
○	300	3,2	2,2	60	21x74	24+2+2	80	LM3003260K244	69,10
○	300	3,2	2,2	70	21x84	24+2+2	80	LM3003270K244	68,60
○	300	3,2	2,2	75	21x91	24+2+2	80	LM3003275K244	69,10
○	300	3,2	2,2	80	13x90	24+2+2	80	LM3003280K244	68,60
□	300	3,2	2,2	80	RAIMANN	24+2+2	80	LM3003280KF244	71,90
□	300	3,4	2,2	80	13x90	24+2+2	80	LM3003480K244	71,90
△	320	3,2	2,2	70	21x84	24+2+2	90	LM3203270K244	81,20
○	320	3,2	2,2	80	13x90	24+2+2	90	LM3203280K244	81,20
□	320	3,2	2,2	90	21x110	24+2+2	85	LM3203290K244	81,20
□	320	3,2	2,2	100	13x110	24+2+2	85	LM32032100K244	81,20
○	350	3,5	2,5	30		24+2+4	105	LM3503530246	89,20
△	350	3,5	2,5	50		24+2+4	105	LM3503550246	89,20
□	350	3,5	2,5	60	21x74	24+2+4	105	LM3503560K246	89,20
○	350	3,5	2,5	70	21x84	24+2+4	105	LM3503570K246	88,80
○	350	3,5	2,5	75	21x91	24+2+4	105	LM3503575K246	89,20
○	350	3,5	2,5	80	14x92	24+2+4	105	LM3503580K246	88,80
□	350	3,5	2,5	80	RAIMANN	24+2+4	105	LM3503580KF246	92,60
○	350	3,5	2,5	90	21x110	24+2+4	105	LM3503590K246	89,20
□	350	3,5	2,5	95	21x109	24+2+4	95	LM3503595K246	89,20
□	350	3,5	2,5	100	13x112	24+2+4	95	LM35035100K246	89,20
□	350	3,5	2,5	105	21x119	24+2+4	95	LM35035105K246	89,20
○	350	3,5	2,5	70	21x84	30+2+4	105	LM3503570K306	94,80
□	350	3,8	2,5	30		24+2+4	105	LM3503830246	92,60
□	350	3,8	2,5	70	21x84	24+2+4	105	LM3503870K246	92,60
□	350	3,8	2,5	80	14x92	24+2+4	105	LM3503880K246	92,60
□	350	3,8	2,5	90	21x110	24+2+4	105	LM3503890K246	92,60
□	380	4,0	2,8	70	21x84	28+2+4	115	LM3804070K286	115,80
□	380	4,0	2,8	75	21x91	28+2+4	115	LM3804075K286	115,80
□	380	4,0	2,8	100	13x112	28+2+4	115	LM38040100K286	115,80
○	400	4,0	2,8	30		28+2+4	120	LM4004030286	113,30
△	400	4,0	2,8	50		28+2+4	120	LM4004050286	113,30
○	400	4,0	2,8	70	21x84	28+2+4	120	LM4004070K286	112,90
○	400	4,0	2,8	75	21x91	28+2+4	120	LM4004075K286	113,30
○	400	4,0	2,8	80	14x92	28+2+4	120	LM4004080K286	112,90
○	400	4,0	2,8	90	21x110	28+2+4	120	LM4004090K286	112,90
□	400	4,0	2,8	95	21x109	28+2+4	120	LM4004095K286	113,30
□	400	4,0	2,8	100	13x112	28+2+4	120	LM40040100K286	113,30
□	400	4,0	2,8	110	21x130	28+2+4	120	LM40040110K286	113,30

# Kotouče do rozmítacích pil




**RU** Лезвие для циркулярной пилы с стружкой для многоцелевых пильных станков

**D** Sägeblatt für Spaltsägen


**PL** Tarcza z nożami strugającymi



	D	B	b	d		Z+R	H	COD	€
○	450	4,6	3,2	30		24+2+4	135	LM4504630246	157,60
△	450	4,6	3,2	50		24+2+4	135	LM4504650246	157,60
○	450	4,6	3,2	70	21x84	24+2+4	135	LM4504670K246	157,60
○	450	4,6	3,2	75	21x91	24+2+4	135	LM4504675K246	157,60
○	450	4,6	3,2	80	13x92	24+2+4	135	LM4504680K246	157,60
○	450	4,6	3,2	90	21x110	24+2+4	135	LM4504690K246	157,60
○	500	4,6	3,2	30		26+2+6	175	LM5004630268	219,70
△	500	4,6	3,2	50		26+2+6	175	LM5004650268	219,70
□	500	4,6	3,2	70	21x84	26+2+6	175	LM5004670K268	219,70
□	500	4,6	3,2	80	13x92	26+2+6	175	LM5004680K268	219,70
□	500	4,6	3,2	110	18x130	26+2+6	165	LM50046110K268	219,70
□	500	4,6	3,2	130	18x146	26+2+4	135	LM50046130K266	219,70
□	550	4,8	3,6	30		28+2+6	175	LM5504830288	278,80
□	550	4,8	3,6	50		28+2+6	175	LM5504850288	278,80
□	550	4,8	3,6	80	13x92	28+2+6	175	LM5504880K288	278,80
□	550	4,8	3,6	110	21x130	28+2+6	175	LM55048110K288	278,80
□	550	4,8	3,6	130	18x146	28+2+6	165	LM55048130K288	278,80
□	550	4,8	3,6	150	21x167	28+2+6	165	LM55048150K288	278,80
□	600	4,8	3,6	30		32+2+6	175	LM6004830328	338,20
□	600	4,8	3,6	50		32+2+6	175	LM6004850328	338,20
□	600	4,8	3,6	80	13x92	32+2+6	175	LM6004880K328	338,20
□	600	4,8	3,6	90	21x110	32+2+6	175	LM6004890K328	338,20



# Pilové kotouče s vyklízečními noži do rozmítacích pil – typ G.D.A. COATED




**(RU)** Лезвие GDA Coated для циркулярной пилы с стружкой для многоцелевых пиловых станков

**(D)** Sägeblatt mit Räumschnitten für Spaltsägen – Typ G.D.A. COATED

**(PL)** Tarcza „GDA-POWLEKANA” z nożami strugającymi




	D	B	b	d		Z+R	H	COD	€
○	300	3,2	2,2	70	21x84	24+2+2	80	LM3003270K244/C	75,60
○	300	3,2	2,2	80	13x90	24+2+2	80	LM3003280K244/C	75,60
○	350	3,5	2,5	70	21x84	24+2+4	105	LM3503570K246/C	97,40
○	350	3,5	2,5	80	14x92	24+2+4	105	LM3503580K246/C	97,40
□	350	3,5	2,5	90	21x110	24+2+4	105	LM3503590K246/C	97,40
○	400	4,0	2,8	70	21x84	28+2+4	120	LM4004070K286/C	123,50
○	400	4,0	2,8	80	14x92	28+2+4	120	LM4004080K286/C	123,50
□	400	4,0	2,8	90	21x110	28+2+4	120	LM4004090K286/C	123,50
○	450	5,2	3,2	70	21x84	28+2+4	135	LM4505270K286/C	195,20
○	450	5,2	3,2	75	21x91	28+2+4	135	LM4505275K286/C	195,20
○	450	5,2	3,2	80	13x92	28+2+4	135	LM4505280K286/C	195,20
□	450	5,2	3,2	90	21x110	28+2+4	135	LM4505290K286/C	195,20
□	450	5,2	3,2	55	6/16-22/112	28+2+4	135	LM4505255F286/C	195,20
□	450	5,2	3,2	a richiesta / upon request		28+2+4			195,20
□	500	5,2	3,6	70	21x84	32+2+6	175	LM5005270K328/C	276,10
□	500	5,2	3,6	80	13x92	32+2+6	175	LM5005280K328/C	276,10
□	500	5,2	3,6	110	18x130	32+2+6	165	LM50052110K328/C	276,10
□	500	5,2	3,6	130	18x146	32+2+4	135	LM50052130K326/C	276,10
□	500	5,2	3,6	55	6/16-22/112	32+2+6	175	LM5005255F328/C	276,10
□	500	5,2	3,6	a richiesta / upon request		32+2+6			276,10
□	550	5,2	3,6	80	13x92	32+2+6	175	LM5505280K328/C	351,80
□	550	5,2	3,6	110	21x130	32+2+6	175	LM55052110K328/C	351,80
□	550	5,2	3,6	130	18x146	32+2+6	165	LM55052130K328/C	351,80
□	550	5,2	3,6	150	21x167	32+2+6	165	LM55052150K328/C	351,80
□	550	5,2	3,6	55	6/16-22/112	32+2+6	175	LM5505255F328/C	351,80
□	550	5,2	3,6	a richiesta / upon request		32+2+6			351,80
○	550	6,2	3,6	90	21x107	24+2+6	180	LM5506290K248/C	351,80
□	600	5,2	3,6	a richiesta / upon request		32+2+6	175		435,70
□	630	6,2	4,0	a richiesta / upon request		36+2+6	215		480,60
□	650	6,2	4,0	a richiesta / upon request		36+2+6	215		512,90
□	700	6,2	4,0	a richiesta / upon request		36+2+6	215		543,80



I  
M

1  
4  
3

## Opěrné kotouče do rozmítacích pil




**RU** Толстое лезвие для циркулярной пилы с стружкой для многоцелевых пильных станков

**D** Stutzblatt für Spaltsägen


**PL** Tarcza szeroka z nożami strugającymi



	D	B	b	d		Z+R	H	COD	€
□	250	4,0	2,8	70	21x84	20+2+2	65	LM2504070K204	73,20
□	250	4,0	2,8	80	13x90	20+2+2	65	LM2504080K204	73,20
○	300	4,0	2,8	70	21x84	24+2+2	80	LM3004070K244	83,60
△	300	4,0	2,8	75	21x91	24+2+2	80	LM3004075K244	83,60
○	300	4,0	2,8	80	13x90	24+2+2	80	LM3004080K244	83,60
□	300	5,2	3,6	70	21x84	24+2+2	80	LM3005270K244	108,70
□	300	5,2	3,6	75	21x91	24+2+2	80	LM3005275K244	108,70
□	300	5,2	3,6	80	13x90	24+2+2	80	LM3005280K244	108,70
□	320	4,0	2,8	80	13x90	24+2+2	90	LM3204080K244	89,60
△	350	4,2	2,8	70	21x84	24+2+4	105	LM3504270K246	95,40
△	350	4,2	2,8	75	21x91	24+2+4	105	LM3504275K246	95,40
△	350	4,2	2,8	80	14x92	24+2+4	105	LM3504280K246	95,40
○	350	4,5	3,2	70	21x84	24+2+4	105	LM3504570K246	111,60
○	350	4,5	3,2	80	14x92	24+2+4	105	LM3504580K246	111,60
□	350	5,2	3,6	70	21x84	24+2+4	105	LM3505270K246	128,50
□	350	5,2	3,6	75	21x91	24+2+4	105	LM3505275K246	128,50
□	350	5,2	3,6	80	14x92	24+2+4	105	LM3505280K246	128,50



## Kotouč pro rozmítací pily s tenkým prořezem



**(RU)**

Лезвие для циркулярной пилы с стружкой для многоцелевых пильных станков с низкой плотностью

**(D)**


Sägeblatt für Spaltsägen mit dünnem Verschnitt

**(PL)**

Tarcza wążka z nożami strugającymi



	D	B	b	d		Z+R	H	COD	€
△	180	2,5	1,8	35		21+3	30	LM1802535213	55,00
○	180	2,5	1,8	40		21+3	30	LM1802540213	55,00
△	200	2,5	1,8	35		21+3	35	LM2002535213	55,00
○	200	2,5	1,8	40		21+3	35	LM2002540213	55,00
□	225	2,5	1,8	40		21+3	40	LM2252540213	58,60
□	225	2,5	1,8	60		21+3	40	LM2252560213	58,60
△	250	2,5	1,8	60	21x74	20+2+2	50	LM2502560K204	60,50
△	250	2,5	1,8	70	21x84	20+2+2	50	LM2502570K204	60,50
△	250	2,5	1,8	80	13x90	20+2+2	50	LM2502580K204	60,50
○	250	2,7	1,8	60	21x74	20+2+2	50	LM2502760K204	59,50
○	250	2,7	1,8	70	21x84	20+2+2	50	LM2502770K204	59,50
○	250	2,7	1,8	80	13x90	20+2+2	50	LM2502780K204	59,50
△	300	2,5	1,8	60	21x74	24+2+2	60	LM3002560K244	70,10
△	300	2,5	1,8	70	21x84	24+2+2	60	LM3002570K244	70,10
△	300	2,5	1,8	80	13x90	24+2+2	60	LM3002580K244	70,10
○	300	2,7	1,8	60	21x74	24+2+2	60	LM3002760K244	69,10
○	300	2,7	1,8	70	21x84	24+2+2	60	LM3002770K244	69,10
○	300	2,7	1,8	80	13x90	24+2+2	60	LM3002780K244	69,10
□	350	3,0	2,0	70	21x84	24+2+4	70	LM3503070K246	89,20
□	350	3,0	2,0	80	14x92	24+2+4	70	LM3503080K246	89,20





I  
M

1  
4  
5

# Pilový kotouč s vyklížecími noži do rozmítacích pil s velmi tenkým prořezem




**(RU)** Лезвие для циркулярной пилы с стружкой для многоцелевых пильных станков с экстра низкой плотностью

**(D)** Sägeblatt mit Räumschnitten für Spaltsägen mit sehr dünnem Verschnitt

**(PL)** Tarcza ekstra wąska z nożami strugającymi



	D	B	b	d		Z+R	H	COD	€
<input type="checkbox"/>	250	2,0	1,4	40		20+2+2	40	LM2502040204/C	78,90
<input type="checkbox"/>	250	2,0	1,4	60		20+2+2	40	LM2502060204/C	78,90
<input type="checkbox"/>	250	2,2	1,6	70	21x91	20+2+2	45	LM2502270K204/C	71,70
<input type="checkbox"/>	250	2,2	1,6	80	13x90	20+2+2	45	LM2502280K204/C	71,70
<input type="checkbox"/>	250	2,4	1,6	70	21x91	20+2+2	45	LM2502470K204/C	71,70
<input type="checkbox"/>	250	2,4	1,6	80	13x90	20+2+2	45	LM2502480K204/C	71,70
<input type="checkbox"/>	300	1,8	1,2	60		24+2+2	35	LM3001860244/C	104,80
<input type="checkbox"/>	300	1,8	1,2	70	21x91	24+2+2	35	LM3001870K244/C	104,80
<input type="checkbox"/>	300	1,8	1,2	80	13x90	24+2+2	35	LM3001880K244/C	104,80
<input type="checkbox"/>	300	2,0	1,4	60		24+2+2	40	LM3002060244/C	90,90
<input type="checkbox"/>	300	2,0	1,4	70	21x91	24+2+2	40	LM3002070K244/C	90,90
<input type="checkbox"/>	300	2,0	1,4	80	13x90	24+2+2	40	LM3002080K244/C	90,90
<input type="checkbox"/>	300	2,2	1,6	60		24+2+2	45	LM3002260244/C	82,60
<input type="checkbox"/>	300	2,2	1,6	70	21x91	24+2+2	45	LM3002270K244/C	82,60
<input type="checkbox"/>	300	2,2	1,6	80	13x90	24+2+2	45	LM3002280K244/C	82,60
<input type="checkbox"/>	300	2,4	1,6	70	21x91	24+2+2	50	LM3002470K244/C	82,60
<input type="checkbox"/>	300	2,4	1,6	80	13x90	24+2+2	50	LM3002480K244/C	82,60
<input type="checkbox"/>	350	3,0	2,0	70	21x91	24+2+4	70	LM3503070K246/C	99,40
<input type="checkbox"/>	350	3,0	2,0	80	14x92	24+2+4	70	LM3503080K246/C	99,40



## Pilový kotouč s vyklízecími noži do rozmítacích pil s velmi tenkým prořezem a omezovači posuvu



(RU)

Лезвие для циркулярной пилы с стружкой и ограничителем стружки для многоцелевых пильных станков с экстра низкой плотностью

(D)


Sägeblatt mit Räumschnitten für Spaltsägen mit sehr dünnem Verschnitt und Vorschubsgrenzer

(PL)

Tarcza ekstra wysoka z nożami strugającymi i redukcją odłupywania




	D	B	b	d		Z+R	H	COD	€
<input type="checkbox"/>	180	2,0	1,4	40		16 LT+2	30	LM1802040162X/C	70,50
<input type="checkbox"/>	180	2,0	1,4	60		16 LT+2	30	LM1802060162X/C	70,50
<input type="checkbox"/>	180	2,2	1,6	40		16 LT+2	35	LM1802240162X/C	64,10
<input type="checkbox"/>	180	2,2	1,6	60		16 LT+2	35	LM1802260162X/C	64,10
<input type="checkbox"/>	200	2,0	1,4	40		16 LT+2	35	LM2002040162X/C	70,90
<input type="checkbox"/>	200	2,0	1,4	60		16 LT+2	35	LM2002060162X/C	70,90
<input type="checkbox"/>	200	2,2	1,6	40		16 LT+2	40	LM2002240162X/C	64,50
<input type="checkbox"/>	200	2,2	1,6	60		16 LT+2	40	LM2002260162X/C	64,50
<input type="checkbox"/>	200	2,4	1,6	40		16 LT+2	40	LM2002440162X/C	64,50
<input type="checkbox"/>	200	2,4	1,6	60		16 LT+2	40	LM2002460162X/C	64,50
<input type="checkbox"/>	225	2,0	1,4	30		20 LT+2	40	LM2252030202X/C	77,40
<input type="checkbox"/>	225	2,0	1,4	40		20 LT+2	40	LM2252040202X/C	77,40
<input type="checkbox"/>	225	2,0	1,4	60		20 LT+2	40	LM2252060202X/C	77,40
<input type="checkbox"/>	225	2,0	1,4	70	21x91	20 LT+2	40	LM2252070K202X/C	77,40
<input type="checkbox"/>	225	2,2	1,6	30		20 LT+2	40	LM2252230202X/C	70,00
<input type="checkbox"/>	225	2,2	1,6	40		20 LT+2	40	LM2252240202X/C	70,00
<input type="checkbox"/>	225	2,2	1,6	60		20 LT+2	40	LM2252260202X/C	70,00
<input type="checkbox"/>	225	2,2	1,6	70	21x91	20 LT+2	40	LM2252270K202X/C	70,00
<input type="checkbox"/>	250	1,6	1,1	40		24 LT+3	35	LM2501640243X/C	98,80
<input type="checkbox"/>	250	1,6	1,1	60		24 LT+3	35	LM2501660243X/C	98,80



I  
M

## IM 148 Pilový kotouč pro rozmítání



**(RU)** Дисковые пилы для пильных станков

**(D)** IM 148  
Sägeblatt zum Spalten

**(PL)** Tarcza do wielopily

1  
4  
8



	D	B	b	d		Z	COD	€
○	250	3,2	2,2	70	21x84	20	LN2503270K20	42,50
△	250	3,2	2,2	80	13x90	20	LN2503280K20	42,50
□	300	3,2	2,2	60	21x74	24	LN3003260K24	56,50
○	300	3,2	2,2	70	21x84	24	LN3003270K24	49,90
□	300	3,2	2,2	80	13x90	24	LN3003280K24	49,90
○	350	3,5	2,5	70	21x84	28	LN3503570K28	59,20
□	350	3,5	2,5	80	14x92	28	LN3503580K28	59,20

GOR  
High-tech tools

I  
M

## IM 149 Opěrné rozmítací pilové kotouče



**(RU)** Тонкие дисковые пилы для пильных станков

**(D)** IM 149  
Stutzspaltsägeblatt

**(PL)** Tarcza szeroka do wielopily

1  
4  
9



	D	B	b	d		Z	COD	€
○	250	4,0	2,8	70	21x84	20	LN2504070K20	49,50
□	250	4,0	2,8	80	13x90	20	LN2504080K20	49,50
○	250	8,0	4,0	70	21x84	20	LN2508070K20	123,60
□	250	8,0	4,0	80	13x90	20	LN2508080K20	123,60
○	300	4,0	2,8	70	21x84	24	LN3004070K24	55,90
○	300	4,0	2,8	80	13x90	24	LN3004080K24	55,90
○	300	8,0	4,0	70	21x84	24	LN3008070K24	127,10
○	300	8,0	4,0	80	13x90	24	LN3008080K24	127,10
○	350	4,5	3,2	70	21x84	28	LN3504570K28	75,90
○	350	4,5	3,2	80	14x92	28	LN3504580K28	75,90
○	350	8,0	4,0	70	21x84	28	LN3508070K28	134,80
○	350	8,0	4,0	80	14x92	28	LN3508080K28	134,80

GOR  
High-tech tools