


IM

IM 150 – Pilový kotouč pro laminované deskové materiály




(RU) *циркулярные пилы для резки ламинированных и пластиковых панелей*

(D) *IM 150 –Sägeblatt für laminierte Plattenmaterialien*

(PL) *Tarcza do cięcia płytku i paneli laminowanych*

150




	D	B	b	d	⊙○⊙	Z	COD	€
○	200	3,2	2,2	30		64	LS200323064T	66,70
○	220	3,2	2,2	30		64	LS220323064T	66,70
○	250	3,2	2,2	30		60	LS250323060T	66,70
△	250	3,2	2,2	35		60	LS250323560T	74,70
○	250	3,2	2,2	30		60 SIL	LS250323060TI	77,00
○	250	3,2	2,2	30		80	LS250323080T	78,30
△	250	3,2	2,2	35		80	LS250323580T	86,30
○	250	3,2	2,2	30		80 SIL	LS250323080TI	88,60
○	300	3,2	2,2	30+2	2/10/60	72	LS3003230F72T	77,80
△	300	3,2	2,2	35		72	LS300323572T	85,80
○	300	3,2	2,2	30+2	2/10/60	72 SIL	LS3003230F72TI	90,70
○	300	3,2	2,2	30+2	2/10/60	96	LS3003230F96T	89,00
△	300	3,2	2,2	35		96	LS300323596T	97,00
○	300	3,2	2,2	30+2	2/10/60	96 SIL	LS3003230F96TI	101,90
□	320	3,2	2,2	30+2	2/10/60	72	LS3203230F72T	129,40
□	320	3,2	2,2	30+2	2/10/60	96	LS3203230F96T	144,80
○	350	3,5	2,5	30+2	2/10/60	84	LS3503530F84T	91,30
△	350	3,5	2,5	35		84	LS350353584T	99,30
○	350	3,5	2,5	30+2	2/10/60	84 SIL	LS3503530F84TI	106,80
○	350	3,5	2,5	30+2	2/10/60	108	LS3503530F108T	105,80
△	350	3,5	2,5	35		108	LS3503535108T	113,80
○	350	3,5	2,5	30+2	2/10/60	108 SIL	LS3503530F108TI	121,30
□	400	4,0	2,8	30+2	2/10/60	120	LS4004030F120T	146,50
□	400	4,0	2,8	35		120	LS4004035120T	154,50
□	450	4,2	3,0	30+2	2/10/60	132	LS4504230F132T	212,00
□	450	4,2	3,0	35		132	LS4504235132T	220,00
□	500	4,2	3,0	30+2	2/10/60	144	LS5004230F144T	262,00
□	500	4,2	3,0	35		144	LS5004235144T	270,00

GAA High-tech tools

IM

IM 152 Pilový kotouč s konkávními břity



(RU) *циркулярные пилы с полыми и инвертированными образными зубами*

(D) *IM 152 –Sägeblatt mit konkaven Schneiden*

(PL) *Tarcza z zębami wklęsłymi i odwróconym v*

152



	D	B	b	d	⊙○⊙	Z	COD	€
○	220	3,2	2,2	30+4	2/7/42 + 2/10/60	42	LH2203230F42P	74,50
○	250	3,2	2,2	30+4	2/7/42 + 2/10/60	48	LH2503230F48P	78,00
○	300	3,2	2,2	30+4	2/7/42 + 2/10/60	60	LH3003230F60P	89,20
□	303	3,2	2,2	30+4	2/7/42 + 2/10/60	60	LH3033230F60P	97,20
○	350	3,5	2,5	30+2	2/10/60	72	LH3503530F72P	116,60

GAA High-tech tools

ANTHON

kotouč / диск / Sägeblatt / tarza

430x4.4/3.2x60+2 Z=72 TP-M	LS4304460F72T/B
450x4.4/3.2x60+2 Z=72 TP-M	LS4504460F72T/B
530x5.8/4.0x60+2 Z=60 TP-M	LS5305860F60T/B
Foro 60+2/11/85	
700x6.2/4.0x80+2 Z=60 TP-M	LS7006280F60T/B
Foro 80+2/17/110	

předřez / черновой / Vorschnitt / tarza dzielaca

180x4.3/5.5c.3.2x20 Z=36	LC180432036
180x5.8/7.0c.4.0x20 Z=36	LC180582036/B
180x6.2/7.2c.4.0x20 Z=36	LC180622036/B

GABBIANI

kotouč / диск / Sägeblatt / tarza

300x4.4/3.2x80+8 Z=60 TP-M	LS3004480F60T
350x4.4/3.2x80+8 Z=54 TP-M	LS3504480F54T
350x4.4/3.2x80+8 Z=72 TP-M	LS3504480F72T
355x4.4/3.2x80+8 Z=72 TP-M	LS3554480F72T
400x4.4/3.2x80+8 Z=60 TP-M	LS4004480F60T
400x4.4/3.2x80+8 Z=72 TP-M	LS4004480F72T
400x4.6/3.2x80+8 Z=60 TP-M	LS4004680F60T
400x4.6/3.2x80+8 Z=72 TP-M	LS4004680F72T
420x4.4/3.2x80+8 Z=72 TP-M	LS4204480F72T
450x4.4/3.2x80+8 Z=72 TP-M	LS4504480F72T
500x4.8/3.5x80+8 Z=72 TP-M	LS5004880F72T
Foro 80+2/14/110+2/7/110+4/9/100	
350x4.4/3.2x80+8 Z=54 A	LS3504480F54
350x4.4/3.2x80+8 Z=72 A	LS3504480F72
400x4.4/3.2x80+8 Z=60 A	LS4004480F60
400x4.4/3.2x80+8 Z=72 A	LS4004480F72
Foro 80+2/14/110+2/7/110+4/9/100	

předřez / черновой / Vorschnitt / tarza dzielaca

125x4.0/4.8x20+4+1 Z=20+20	LD125404420F20
Foro 20+4/17/50+1/7/68	
150x4.3/5.5c.3.2x55+6 Z=36	LC1504355F36
160x4.3/5.5c.3.2x55+6 Z=36	LC1604355F36
160x4.5/5.7c.3.2x55+6 Z=36	LC1604555F36
160x4.7/6.0c.3.5x55+6 Z=36	LC1604755F36
Foro 55+3/7/66+3/9/73	
180x4.8/5.6x55+3 Z=28+28	LD180485655F28
Foro 55+3/7/66	
200x4.3/5.5c.3.2x80+2 Z=36	LC2004380F36
Foro 80+2/14/110	

GIBEN

kotouč / диск / Sägeblatt / tarza

320x4.4/3.2x75+3 Z=72 TP-M	LS3204475F72T
Foro 75+3/13/95	
350x4.4/3.2x50+4 Z=72 TP-M	LS3504450F72T
Foro 50+4/12.5/80	
350x4.4/3.2x75+4 Z=54 TP-M	LS3504475F54T
350x4.4/3.2x75+4 Z=72 TP-M	LS3504475F72T
355x4.4/3.2x75+4 Z=72 TP-M	LS3554475F72T
400x4.4/3.2x75+4 Z=60 TP-M	LS4004475F60T
400x4.4/3.2x75+4 Z=72 TP-M	LS4004475F72T
400x4.6/3.2x75+4 Z=60 TP-M	LS4004675F60T
400x4.6/3.2x75+4 Z=72 TP-M	LS4004675F72T
430x4.4/3.2x75+4 Z=72 TP-M	LS4304475F72T
430x4.6/3.2x75+4 Z=72 TP-M	LS4304675F72T
470x4.4/3.2x75+4 Z=96 TP-M	LS4704475F96T
500x4.6/3.2x75+4 Z=72 TP-M	LS5004675F72T
Foro 75+4/15/105	
550x5.2/3.5x100 Z=72 TP-M	LS5505210072T
565x5.2/3.5x100 Z=72 TP-M	LS5655210072T
350x4.4/3.2x75+4 Z=54 A	LS3504475F54
350x4.4/3.2x75+4 Z=72 A	LS3504475F72
400x4.4/3.2x75+4 Z=60 A	LS4004475F60
400x4.4/3.2x75+4 Z=72 A	LS4004475F72
Foro 75+4/15/105	
550x5.2/3.5x100 Z=60 A	LS5505210060

předřez / черновой / Vorschnitt / tarza dzielaca

125x4.3/5.5c.3.2x45 Z=24	LC125434524
125x4.0/4.8x45 Z=20+20	LD12540484520
150x4.3/5.5c.3.2x45+3 Z=36	LC1504345F36
160x4.3/5.5c.3.2x45+3 Z=36	LC1604345F36
160x4.5/5.7c.3.2x45+3 Z=36	LC1604545F36
Foro 45+3/11/70	
180x4.3/5.5c.3.2x50+3 Z=44	LC1804350F44
Foro 50+3/12.5/80	
180x5.0/6.2c.3.5x55 Z=36	LC180505536
215x4.3/5.5c.3.2x50+3 Z=42	LC2154350F42
215x4.5/5.7c.3.2x50+3 Z=42	LC2154550F40
300x4.3/5.5x50+3 Z=32+32	LD300435550F32
300x4.3/5.5c.3.2x50+3 Z=48	LC3004350F48
300x4.5/5.7c.3.2x50+3 Z=48	LC3004550F48
Foro 50+3/15/80	

HOLZMA

kotouč / диск / Sägeblatt / tarza

350x4.4/3.2x60+2 Z=72 TP-M	LS3504460F72T
380x4.8/3.5x60+2 Z=72 TP-M	LS3804860F72T
380x4.8/3.5x60+2 Z=84 TP-M	LS3804860F84T
Foro 60+2/14/100	
400x4.8/3.5x60 Z=72 TP-M	LS400486072T
Foro 60	
420x4.8/3.5x60+2 Z=72 TP-M	LS4204860F72T
450x4.8/3.5x60+2 Z=72 TP-M	LS4504860F72T
Foro 60+2/14/125	
500x4.8/3.5x60+2 Z=72 TP-M	LS5004860F72T
Foro 60+2/11/115	
520x4.8/3.5x60+4 Z=60 TP-M	LS5204860F60T
540x4.8/3.5x60+4 Z=84 TP-M	LS5404860F84T
570x4.8/3.5x60+4 Z=60 TP-M	LS5704860F60T
600x5.8/4.0x60+4 Z=60 TP-M	LS6005860F60T
Foro 60+2/11/115+2/19/120	
670x5.8/4.0x60+4 Z=60 TP-M	LS6705860F60T
Foro 60+2/11/148+2/19/120	

předřez / черновой / Vorschnitt / tarza dzielaca

180x4.3/5.5c.3.2x45 Z=36	LC180434536
180x4.4/5.5x45 Z=18+18	LD18044554518
180x4.7/6.0c.3.5x45 Z=36	LC180474536
200x4.3/5.5c.3.2x45 Z=36	LC200434536
200x4.7/6.0c.3.5x45 Z=36	LC200474536
200x5.8/7.0c.4.0x45 Z=36	LC200584536
340x4.4/5.6x45 Z=32+32	LD34044564532

HOMAG

kotouč / диск / Sägeblatt / tarza

350x4.4/3.2x75+4 Z=54 TP-M	LS3504475F54T
350x4.4/3.2x75+4 Z=72 TP-M	LS3504475F72T
400x4.4/3.2x75+4 Z=60 TP-M	LS4004475F60T
400x4.4/3.2x75+4 Z=72 TP-M	LS4004475F72T
400x4.6/3.2x75+4 Z=60 TP-M	LS4004675F60T
400x4.6/3.2x75+4 Z=72 TP-M	LS4004675F72T
Foro 75+4/15/105	

předřez / черновой / Vorschnitt / tarza dzielaca

125x4.3/5.5c.3.2x45 Z=24	LC125434524
150x4.3/5.5c.3.2x45+3 Z=36	LC1504345F36
Foro 45+3/11/70	
200x4.3/5.5c.3.2x45 Z=36	LC200434536

MAYER

kotouč / диск / Sägeblatt / tarza

300x4.4/3.2x30+2 Z=60 TP-M	LS3004430F60T
300x4.4/3.2x30+2 Z=72 TP-M	LS3004430F72T
350x4.4/3.2x30+2 Z=54 TP-M	LS3504430F54T
350x4.4/3.2x30+2 Z=72 TP-M	LS3504430F72T
400x4.4/3.2x30+2 Z=60 TP-M	LS4004430F60T
400x4.4/3.2x30+2 Z=72 TP-M	LS4004430F72T
Foro 30+2/10/60	

předřez / черновой / Vorschnitt / tarza dzielaca

125x4.0/4.8x45 Z=20+20	LC12540484520
125x4.3/5.5c.3.2x45 Z=24	LC125434524
150x4.3/5.5c.3.2x30 Z=36	LC150433036

PANHANS

kotouč / диск / Sägeblatt / tarza

300x4.4/3.2x30+2 Z=60 TP-M	LS3004430F60T
300x4.4/3.2x30+2 Z=72 TP-M	LS3004430F72T
350x4.4/3.2x30+2 Z=54 TP-M	LS3504430F54T
350x4.4/3.2x30+2 Z=72 TP-M	LS3504430F72T
400x4.4/3.2x30+2 Z=60 TP-M	LS4004430F60T
400x4.4/3.2x30+2 Z=72 TP-M	LS4004430F72T
Foro 30+2/10/60	
450x4.4/3.2x30 Z=72 TP-M	LS450443072T

předřez / черновой / Vorschnitt / tarza dzielaca

125x4.3/5.5c.3.2x20 Z=24	LC125432024
180x4.3/5.5c.3.2x30 Z=36	LC180433036
200x4.3/5.5c.3.2x30 Z=36	LC200433036

SCHELLING

М
Т
у
р
к
и
с
т
р
о
н
к
о
в

kotouč / диск / Sägeblatt / tarza

350x4.4/3.2x30+2 Z=54 TP-M	LS3504430F54T
350x4.4/3.2x30+2 Z=72 TP-M	LS3504430F72T
Foro 30+2/10/60	
370x4.4/3.2x30 Z=72 TP-M	LS370443072T
Foro 30	
400x4.4/3.2x30+2 Z=60 TP-M	LS4004430F60T
400x4.4/3.2x30+2 Z=72 TP-M	LS4004430F72T
Foro 30+2/10/60	
450x4.4/3.2x30 Z=72 TP-M	LS450443072T
460x4.4/3.2x30 Z=72 TP-M	LS460443072T
480x4.4/3.2x30 Z=72 TP-M	LS480443072T
500x4.6/3.2x30 Z=72 TP-M	LS500463072T
530x5.0/3.5x30 Z=60 TP-M	LS530503060T
Foro 30	
550x5.2/3.5x40+2 Z=60 TP-M	LS5505240F60T
Foro 40+2/13/122	
650x6.2/4.0x40 Z=60 TP-M	LS650624060T
Foro 40	
670x6.2/4.0x40+4 Z=60 TP-M	LS6706240F60T
680x6.2/4.0x40+4 Z=60 TP-M	LS6806240F60T
Foro 40+2/17/140+2/13/140	

předřez / черновой / Vorschnitt / tarza dzielaca

180x4.3/5.5c.3.2x20 Z=36	LC180432036
200x4.3/5.5c.3.2x20 Z=36	LC200432036
200x5.0/6.2c.3.5x20 Z=36	LC200502036
200x6.2/7.2c.4.0x20 Z=36	LC200622036

SCM

kotouč / диск / Sägeblatt / tarza

300x4.4/3.2x80+8 Z=60 TP-M	LS3004480F60T
350x4.4/3.2x80+8 Z=54 TP-M	LS3504480F54T
350x4.4/3.2x80+8 Z=72 TP-M	LS3504480F72T
355x4.4/3.2x80+8 Z=72 TP-M	LS3554480F72T
400x4.4/3.2x80+8 Z=60 TP-M	LS4004480F60T
400x4.4/3.2x80+8 Z=72 TP-M	LS4004480F72T
400x4.6/3.2x80+8 Z=60 TP-M	LS4004680F60T
400x4.6/3.2x80+8 Z=72 TP-M	LS4004680F72T
Foro 80+2/14/110+2/7/110+4/9/100	

předřez / черновой / Vorschnitt / tarza dzielaca

125x4.0/4.8x20+4+1 Z=20+20	LD125404420F20
Foro 20+4//17/50+1/7/68	
150x4.3/5.5c.3.2x55+6 Z=36	LC1504355F36
160x4.3/5.5c.3.2x55+6 Z=36	LC1604355F36
160x4.5/5.7c.3.2x55+6 Z=36	LC1604555F36
Foro 55+3/7/66+3/9/72	
200x4.3/5.5c.3.2x80+2 Z=36	LC2004380F36
Foro 80+2/14/110	

SELCO


kotouč / диск / Sägeblatt / tarza

300x4.4/3.2x65+4 Z=60 TP-M	LS3004465F60T/A
320x4.6/3.2x65+4 Z=60 TP-M	LS3204665F60T/A
360x4.6/3.2x65+4 Z=72 TP-M	LS3604665F72T/A
Foro 65+2/9/100+2/9/110	
400x4.4/3.2x80+6 Z=60 TP-M	LS4004480F60T/A
400x4.4/3.2x80+6 Z=72 TP-M	LS4004480F72T/A
400x4.6/3.2x80+6 Z=60 TP-M	LS4004680F72T/A
400x4.6/3.2x80+6 Z=72 TP-M	LS4004680F72T/A
430x4.4/3.2x80+6 Z=72 TP-M	LS4304480F72T/A
430x4.6/3.2x80+6 Z=72 TP-M	LS4304680F72T/A
450x4.6/3.2x80+6 Z=72 TP-M	LS4504680F72T/A
450x4.8/3.5x80+6 Z=72 TP-M	LS4504880F72T/A
480x4.8/3.5x80+6 Z=72 TP-M	LS4804880F72T/A
480x5.2/3.5x80+6 Z=72 TP-M	LS4805280F72T/A
Foro 80+4/19/120+2/9/130	

předřez / черновой / Vorschnitt / tarza dzielaca

200x4.3/5.5c.3.2x65+4 Z=36	LC2004365F36/A
200x4.5/5.7c.3.2x65+4 Z=36	LC2004565F36/A
200x4.7/6.0c.3.5x65+4 Z=36	LC2004765F36/A
200x5.0/6.2c.3.5x65+4 Z=36	LC2005065F36/A
300x4.3/5.5c.3.2x65+4 Z=72	LC3004365F72/A
300x4.5/5.7c.3.2x65+4 Z=72	LC3004565F72/A
300x4.7/6.0c.3.5x65+4 Z=72	LC3004765F72/A
Foro 65+2/9/100+2/9/110	

Kotouče pro formátovací pily se střídavě šikmým zubem



(RU) Разделяющие дисковые пилы со скошенным зубом дублером


(D) Sägeblatt für Ausformsägen mit Wechselschrägzahn

(PL) Tarcza dzieląca ze zmiennym ukosem górnym



	D	B	b	d	⊙○⊙	Z	COD	€
□	300	4,4	3,2	30+2	2/10/60	48	LS3004430F48	90,10
○	300	4,4	3,2	30+2	2/10/60	60	LS3004430F60	90,10
○	350	4,4	3,2	30+2	2/10/60	54	LS3504430F54	81,20
○	350	4,4	3,2	75	GIBEN	54	LS3504475F54	81,20
○	350	4,4	3,2	80	GABBIANI	54	LS3504480F54	81,20
○	350	4,4	3,2	30+2	2/10/60	72	LS3504430F72	96,50
○	350	4,4	3,2	75	GIBEN	72	LS3504475F72	96,50
○	350	4,4	3,2	80	GABBIANI	72	LS3504480F72	96,50
○	400	4,4	3,2	30+2	2/10/60	60	LS4004430F60	97,20
○	400	4,4	3,2	75	GIBEN	60	LS4004475F60	97,20
○	400	4,4	3,2	80	GABBIANI	60	LS4004480F60	97,20
○	400	4,4	3,2	30+2	2/10/60	72	LS4004430F72	110,00
○	400	4,4	3,2	75	GIBEN	72	LS4004475F72	110,00
○	400	4,4	3,2	80	GABBIANI	72	LS4004480F72	110,00
□	420	4,4	3,2	30		72	LS420443072	133,50
□	430	4,4	3,2	30		72	LS430443072	133,50
□	450	4,4	3,2	30		54	LS450443054	129,80
□	450	4,4	3,2	30		72	LS450443072	133,50
□	480	4,4	3,2	30		72	LS480443072	155,60
□	500	4,6	3,2	30		72	LS500463072	164,50
□	550	5,2	3,5	100	GIBEN	60	LS5005210060	198,40

Kotouče pro formátovací pily s trapézovým zubem



(RU) Разделяющие дисковые пилы с трапециально-плоским зубом


(D) Sägeblatt für Ausformsägen mit Trapezzahn

(PL) Tarcza dzieląca z zębem trapezowym płaskim



	D	B	b	d	⊙	Z	COD	€
○	300	4,4	3,2	30+2	2/10/60	60	LS3004430F60T	90,40
△	300	4,4	3,2	65	SELCO	60	LS3004465F60T/A	90,40
○	300	4,4	3,2	80	GABBIANI	60	LS3004480F60T	90,40
□	300	4,4	3,2	30+2	2/10/60	72	LS3004430F72T	107,80
△	320	4,6	3,2	65	SELCO	60	LS3204665F60T/A	108,20
□	320	4,4	3,2	75	GIBEN	72	LS3204475F72T	116,90
○	350	4,4	3,2	30+2	2/10/60	54	LS3504430F54T	85,40
○	350	4,4	3,2	75	GIBEN	54	LS3504475F54T	85,40
○	350	4,4	3,2	80	GABBIANI	54	LS3504480F54T	85,40
○	350	4,4	3,2	30+2	2/10/60	72	LS3504430F72T	101,60
□	350	4,4	3,2	50	GIBEN	72	LS3504450F72T	112,80
□	350	4,4	3,2	60	HOLZMA	72	LS3504460F72T	112,80
○	350	4,4	3,2	75	GIBEN	72	LS3504475F72T	101,60
○	350	4,4	3,2	80	GABBIANI	72	LS3504480F72T	101,60
□	355	4,4	3,2	75	GIBEN	72	LS3554475F72T	138,60
□	355	4,4	3,2	80	GABBIANI	72	LS3554480F72T	138,60
□	360	4,6	3,2	65	SELCO	72	LS3604665F72T/A	127,10
□	370	4,4	3,2	30	SCHELLING	72	LS370443072T	127,10
○	380	4,8	3,5	60	HOLZMA	72	LS3804860F72T	139,80
□	380	4,8	3,5	60	HOLZMA	84	LS3804860F84T	152,40
○	400	4,4	3,2	30+2	2/10/60	60	LS4004430F60T	102,10
○	400	4,4	3,2	75	GIBEN	60	LS4004475F60T	102,10
○	400	4,4	3,2	80	GABBIANI	60	LS4004480F60T	102,10
△	400	4,4	3,2	80	SELCO	60	LS4004480F60T/A	102,10
△	400	4,6	3,2	30+2	2/10/60	60	LS4004630F60T	106,40
△	400	4,6	3,2	75	GIBEN	60	LS4004675F60T	106,40
△	400	4,6	3,2	80	GABBIANI	60	LS4004680F60T	106,40
△	400	4,6	3,2	80	SELCO	60	LS4004680F60T/A	106,40
○	400	4,4	3,2	30+2	2/10/60	72	LS4004430F72T	115,50
○	400	4,4	3,2	75	GIBEN	72	LS4004475F72T	115,50
○	400	4,4	3,2	80	GABBIANI	72	LS4004480F72T	115,50
○	400	4,4	3,2	80	SELCO	72	LS4004480F72T/A	115,50
△	400	4,6	3,2	30+2	2/10/60	72	LS4004630F72T	120,00
△	400	4,6	3,2	75	GIBEN	72	LS4004675F72T	120,00
△	400	4,6	3,2	80	GABBIANI	72	LS4004680F72T	120,00
○	400	4,6	3,2	80	SELCO	72	LS4004680F72T/A	120,00
□	400	4,8	3,5	60	HOLZMA	72	LS400486072T	179,50
○	420	4,8	3,5	60	HOLZMA	72	LS4204860F72T	159,30
□	420	4,4	3,2	80	GABBIANI	72	LS4204480F72T	151,60
□	430	4,4	3,2	60	ANTHON	72	LS4304460F72T/B	137,80
○	430	4,4	3,2	75	GIBEN	72	LS4304475F72T	137,80
○	430	4,4	3,2	80	SELCO	72	LS4304480F72T/A	137,80
□	430	4,4	3,2	75	GIBEN	96	LS4304475F96T	164,50
○	430	4,6	3,2	75	GIBEN	72	LS4304675F72T	142,20
○	430	4,6	3,2	80	SELCO	72	LS4304680F72T/A	142,20
○	450	4,4	3,2	30+2	2/10/60	72	LS4504430F72T	140,30
□	450	4,4	3,2	60	ANTHON	72	LS4504460F72T/B	140,30
□	450	4,4	3,2	80	GABBIANI	72	LS4504480F72T	140,30
△	450	4,4	3,2	80	SELCO	72	LS4504480F72T/A	140,30
○	450	4,6	3,2	80	SELCO	72	LS4504680F72T/A	144,50
○	450	4,8	3,5	60	HOLZMA	72	LS4504860F72T	163,40
○	450	4,8	3,5	80	SELCO	72	LS4504880F72T/A	163,40
□	460	4,4	3,2	30	SCHELLING	72	LS460443072T	160,40
□	470	4,4	3,2	75	GIBEN	96	LS4704475F96T	188,20
□	480	4,4	3,2	30	SCHELLING	72	LS480443072T	160,40
○	480	4,8	3,5	80	SELCO	72	LS4804880F72T/A	178,90
○	480	5,2	3,5	80	SELCO	72	LS4805280F72T/A	178,90


Kotouče pro formátovací pily s trapezovým zubem



(RU) Разделяющие дисковые пилы с трапециально-плоским зубом

(D) Sägeblatt für Ausformsägen mit Trapezzahn

(PL) Tarcza dzieląca z zębem trapezowym płaskim



	D	B	b	d	⊙ ⊙ ⊙	Z	COD	€
□	500	4,6	3,2	30	SCHELLING	72	LS500463072T	169,60
□	500	4,6	3,2	75	GIBEN	72	LS5004675F72T	169,60
○	500	4,8	3,5	60	HOLZMA	72	LS5004860F72T	178,90
○	500	4,8	3,5	80	GABBIANI	72	LS5004880F72T	178,90
□	520	4,8	3,5	60	HOLZMA	60	LS5204860F60T	212,90
□	530	5,0	3,5	30	SCHELLING	60	LS530503060T	212,90
□	530	5,8	4,0	60	ANTHON	60	LS5305860F60T/B	247,80
□	540	4,8	3,5	60	HOLZMA	84	LS5404860F84T	222,30
□	550	5,2	3,5	40	SCHELLING	60	LS5505240F60T	212,90
○	550	5,2	3,5	100	GIBEN	72	LS5505210072T	218,40
○	565	5,2	3,5	100	GIBEN	72	LS5655210072T	252,20
□	570	4,8	3,5	60	HOLZMA	60	LS5704860F60T	248,40
□	600	5,8	4,0	60	HOLZMA	60	LS6005860F60T	298,50
□	650	6,2	4,0	40	SCHELLING	60	LS6506240F60T	425,00
□	670	5,8	4,0	60	HOLZMA	60	LS6705860F60T	470,00
□	670	6,2	4,0	40	SCHELLING	60	LS6706240F60T	470,00
□	680	6,2	4,0	40	SCHELLING	60	LS6806240F60T	470,00
□	700	6,2	4,0	80	ANTHON	60	LS7006280F60T/B	470,00


Kónické předřezy



(RU) Разделяющие торцовочные дисковые пилы с трапециально-плоским зубом


(D) Konische Vorschnitte

(PL) Tarcza dzieląca z nacięciami



	D	B	b	d	⊙ ⊙ ⊙	Z	COD	€
○	80	3,1/4,0	2,2	20		12	LC80312012	38,40
○	90	3,0/4,1	2,2	30		12	LC90303012	40,20
○	100	3,1/4,3	2,2	20		20	LC100312020	40,50
□	100	3,1/4,3	2,2	20		24	LC100312024	51,20
○	110	3,1/4,3	2,2	20		20	LC110312020	41,20
○	120	3,1/4,3	2,2	20		20	LC120312020	40,50
○	120	3,1/4,3	2,2	22		20	LC120312220	40,50
○	120	3,4/4,5	2,2	20		20	LC120342020	42,10
○	125	3,1/4,3	2,2	20		24	LC125312024	41,40
△	125	3,1/4,3	2,2	22		24	LC125312224	49,40
○	125	3,4/4,5	2,2	20		24	LC125342024	43,00
○	125	4,3/5,5	3,2	20		24	LC125432024	45,00
△	125	4,3/5,5	3,2	22		24	LC125432224	54,00
○	125	4,3/5,5	3,2	45		24	LC125434524	45,00
□	140	3,1/4,3	2,2	20		24	LC140312024	60,40
□	140	4,3/5,5	3,2	45+1	1/8/58	24	LC1404345F24	60,40
○	150	4,3/5,5	3,2	30		24	LC150433024	49,60
○	150	4,3/5,5	3,2	45		24	LC150434524	49,60
△	150	3,1/4,3	2,2	30		36	LC150313036	55,40
○	150	3,4/4,5	2,2	30		36	LC150343036	50,30
○	150	3,9/5,1	2,8	30		36	LC150393036	51,90
○	150	4,3/5,5	3,2	30		36	LC150433036	55,10
□	150	4,3/5,5	3,2	45	GIBEN	36	LC1504345F36	66,10
□	150	4,3/5,5	3,2	55	GABBIANI	36	LC1504355F36	66,10
○	160	4,3/5,5	3,2	20		36	LC160432036	58,60
○	160	4,3/5,5	3,2	30		36	LC160433036	58,60
○	160	4,3/5,5	3,2	45	GIBEN	36	LC1604345F36	60,20
○	160	4,3/5,5	3,2	55	GABBIANI	36	LC1604355F36	60,20
○	160	4,5/5,7	3,2	45	GIBEN	36	LC1604545F36	61,80
○	160	4,5/5,7	3,2	55	GABBIANI	36	LC1604555F36	61,80
○	160	4,7/6,0	3,5	55	GABBIANI	36	LC1604755F36	66,80
△	180	4,3/5,5	3,2	20		36	LC180432036	68,00
△	180	4,3/5,5	3,2	45	HOLZMA	36	LC180434536	68,00
○	180	4,7/6,0	3,5	45	HOLZMA	36	LC180474536	69,60
○	180	5,0/6,2	3,5	55	GIBEN	36	LC180505536	69,60
□	180	5,8/7,0	4,0	20	ANTHON	36	LC180582036/B	85,80
□	180	6,2/7,2	4,0	20	ANTHON	36	LC180622036/B	85,80
□	180	4,3/5,5	3,2	50	GIBEN	44	LC1804350F44	73,80
○	200	4,3/5,5	3,2	20		36	LC200432036	68,00
○	200	4,3/5,5	3,2	30		36	LC200433036	68,00
○	200	4,3/5,5	3,2	45	HOLZMA	36	LC200434536	68,00
○	200	4,3/5,5	3,2	65	SELCO	36	LC2004365F36/A	69,60
○	200	4,3/5,5	3,2	80	GABBIANI	36	LC2004380F36	69,60
○	200	4,5/5,7	3,2	65	SELCO	36	LC2004565F36/A	71,20
○	200	4,7/6,0	3,5	45	HOLZMA	36	LC200474536	71,20
○	200	4,7/6,0	3,5	65	SELCO	36	LC2004765F36/A	71,20
△	200	5,0/6,2	3,5	20	SHELLING	36	LC200502036	77,00
○	200	5,0/6,2	3,5	65	SELCO	36	LC2005065F36/A	77,00
□	200	5,8/7,0	4,0	45	HOLZMA	36	LC200584536	89,60
□	200	6,2/7,2	4,0	20	SHELLING	36	LC200622036	89,60
○	215	4,3/5,5	3,2	50	GIBEN	42	LC2154350F42	73,80
○	215	4,5/5,7	3,2	50	GIBEN	42	LC2154550F42	75,30
□	250	4,5/5,7	3,2	30		60	LC250453060	120,00
○	300	4,3/5,5	3,2	50	GIBEN	48	LC3004350F48	119,10
○	300	4,3/5,5	3,2	65	SELCO	72	LC3004365F72/A	132,00
○	300	4,5/5,7	3,2	50	GIBEN	48	LC3004550F48	120,50
○	300	4,5/5,7	3,2	65	SELCO	72	LC3004565F72/A	133,60
○	300	4,7/6,0	3,5	65	SELCO	72	LC3004765F72/A	144,40


Pilový kotouč pro Softforming – Postforming



(RU) Мягко идущее лезвие для циркулярных пил с последующим формированием

(D) Sägeblatt zum Softforming – Postforming

(PL) Tarcza miękko kształtująca – post kształtująca



	D	B	b	d	⊙ ⊙ ⊙	Z	COD	€
<input type="checkbox"/>	220	3,35	2,5	30		48 T	LS2203353048T	80,20
<input type="checkbox"/>	250	4,55	2,8	30		48 T	LS2504553048T	96,40
<input type="checkbox"/>	280	4,95	3,5	45		84 A	LS2804954584	155,50
<input type="checkbox"/>	300	4,55	3,2	75		60 A	LS3004557560	130,00
<input type="checkbox"/>	300	4,65	3,2	65	SELCO	72 A	LS30046565F72/A	135,80
<input type="checkbox"/>	300	4,60	3,2	50	GIBEN	80 T	LS30046050F80T	140,20
<input type="checkbox"/>	340	4,95	3,5	45		80 T	LS3404954580T	158,00

pozor, řádek 1,2,6,7, zub trapézový rovný

Внимание позиции 1,2,6,7 – форма зуба - трапециально-плоский

Achtung, auf Zeilen 1,2,6,7 befindet sich der flache Trapezzahn

Uwaga pozycja 1,2,6,7; zęby rodzaju tp (trapezowe płaskie)

Skládané předřezy



(RU) Регулируемые разделяющие торцовочные пилы с распорками


(D) Zusammengelegte Vorschnitte

(PL) Tarcza dzieląca regulowana z nacięciami i z odstępnikiem



1
6
2



	D	B	b	d	⊙ ⊙ ⊙	Z	COD	€
○	70	2,8/3,6	2,2	20		8+8	LD702836208	86,50
○	80	2,8/3,6	2,2	20		10+10	LD8028362010	86,50
○	100	2,8/3,6	2,2	20		10+10	LD10028362010	78,10
○	100	2,8/3,6	2,2	22		10+10	LD10028362210	78,10
○	100	3,1/3,9	2,2	20		10+10	LD10031392010	78,10
○	100	3,1/3,9	2,2	22		10+10	LD10031392210	78,10
○	120	2,8/3,6	2,2	20		12+12	LD12028362012	83,80
○	120	2,8/3,6	2,2	22		12+12	LD12028362212	83,80
○	120	3,1/3,9	2,2	20		12+12	LD12031392012	83,80
○	120	3,1/3,9	2,2	22		12+12	LD12031392212	83,80
○	125	2,8/3,6	2,2	20		12+12	LD12528362012	83,80
○	125	2,8/3,6	2,2	22		12+12	LD12528362212	83,80
○	125	3,1/3,9	2,2	20		12+12	LD12531392012	83,80
○	125	3,1/3,9	2,2	22		12+12	LD12531392212	83,80
○	125	3,1/3,9	2,2	30		12+12	LD12531393012	83,80
○	125	4,0/4,4	2,2	20+4+1	GABBIANI	20+20	LD125404420F20	97,80
○	125	4,0/4,8	2,2	45	GIBEN	20+20	LD12540484520	97,80
□	160	2,8/3,6	2,2	30		18+18	LD16028363018	120,50
□	160	3,5/4,3	2,2	30		18+18	LD16035433018	120,50
□	180	2,8/3,6	2,2	30		18+18	LD18028363018	122,50
□	180	3,5/4,3	2,2	30		18+18	LD18035433018	122,50
□	180	4,4/5,5	2,2	45	HOLZMA	18+18	LD18044554518	122,50
○	180	4,8/5,6	2,2	55+3	GABBIANI	28+28	LD180485655F28	129,60
○	200	4,3/5,2	2,2	20	SCM	30+30	LD20043522030	135,00
□	300	4,3/5,5	1,8	50+3	GIBEN	32+32	LD300435250F32	194,40
□	340	4,4/5,6	2,5	45	HOLZMA	32+32	LD34044564532	220,80




Předřezové kotouče do olepovaček



(RU) Разделяющие торцовочные пилы для обработки края

(D) Vorschrittsägeblätter für Verleimpresen

(PL) Tarcza nacinająca do krawędzi i dzieląca



	D	B	b	d	⊙ ○ ⊙	Z	COD DX-RH	COD SX-LH	€
□	90	3,6	2,5	30		20/15°	LE90363020D	LE90363020S	88,60
□	100/92	3,2	2,2	32		20+20	LE10092323220D	LE10092323220S	129,80
○	100	3,2	2,2	20		20	LE100322020D	LE100322020S	37,50
○	100	3,2	2,2	32		20	LE100323220D	LE100323220S	37,50
□	115	2,6	1,8	30	STEFANI	24A	LE115263024	LE115263024	45,00
□	120	3,2	2,2	20		30	LE120322030D	LE120322030S	50,80
○	125	3,2	2,2	20		30	LE125322030D	LE125322030S	42,60
○	125	3,2	2,2	20		40	LE125322040D	LE125322040S	47,90
○	125	3,2	2,2	30		40	LE125323040D	LE125323040S	47,90
○	150	3,2	2,2	20		36	LE150322036D	LE150322036S	45,80
○	150	3,2	2,2	30		36	LE150323036D	LE150323036S	45,80
○	150	3,2	2,2	55		36	LE150325536D	LE150325536S	45,80
○	150	3,2	2,2	60		36	LE150326036D	LE150326036S	45,80
○	150	3,2	2,2	30		48	LE150323048D	LE150323048S	53,50
○	150	3,2	2,2	55		48	LE150325548D	LE150325548S	53,50
○	150	3,2	2,2	60		48	LE150326048D	LE150326048S	53,50
△	150	3,2	2,2	35+4	STEFANI	48	LE1503235F48D	LE1503235F48S	69,00
○	170	3,2	2,2	20		40	LE170322040D	LE170322040S	48,60
○	170	3,2	2,2	30		40	LE170323040D	LE170323040S	48,60
○	180	3,2	2,2	30		36	LE180323036D	LE180323036S	47,90
○	180	3,2	2,2	40		36	LE180324036D	LE180324036S	47,90
○	180	3,2	2,2	55		36	LE180325536D	LE180325536S	47,90
○	180	3,2	2,2	60		36	LE180326036D	LE180326036S	47,90
○	180	3,2	2,2	30		56	LE180323056D	LE180323056S	57,80
○	180	3,2	2,2	40		56	LE180324056D	LE180324056S	57,80
□	180	3,2	2,2	50+3	LEUCO	54	LE1803250F54D	LE1803250F54S	60,00
○	200	3,2	2,2	30		48	LE200323048D	LE200323048S	60,50
○	200	3,2	2,2	40		48	LE200324048D	LE200324048S	60,50
○	200	3,2	2,2	55		48	LE200325548D	LE200325548S	60,50
○	200	3,2	2,2	60		48	LE200326048D	LE200326048S	60,50
○	200	3,2	2,2	70		48	LE200327048D	LE200327048S	60,50
○	200	3,2	2,2	80		48	LE200328048D	LE200328048S	60,50
△	200	3,2	2,2	70		64	LE200327064D	LE200327064S	68,80
□	125	3,2	2,2	20		20+4	LE1253220204D	LE1253220204S	87,30
□	125	3,2	2,2	30		20+4	LE1253230204D	LE1253230204S	87,30
□	140	3,2	2,2	30		24+4	LE1403230244D	LE1403230244S	96,20
□	150	3,2	2,2	30		28+4	LE1503230284D	LE1503230284S	99,70
□	170	3,2	2,2	20		24+4	LE1703220244D	LE1703220244S	100,80
□	170	3,2	2,2	30		24+4	LE1703230244D	LE1703230244S	100,80